

1300 827 284 www.decrolux.com.au

ASTON MK-II 60W Suspended Profile 2241mm

The ASTON MK-II 60W Linear Pendant Series are a sleek, modern style perfect for commercial architecture. Architectural linear suspensions bring clean lines to commercial interiors. Our sleek, stylish LED linear suspensions offer highly effective and efficient lighting solutions for schools, libraries, office spaces, and retail outlets. This style is also available in suspended direct/indirect, surface mounted and recessed.

<u>└</u> IP44 <u></u>

SPECIFICATIONS

Material Specifications

- Material
- Finish Dimensions Suspension Length Ingress Protection Warranty

Electrical Specifications

Power Supply Options LED Wattage Input Voltage

Optic Specifications

Light Source
CRI
Beam Angle
Colour Deviation
Reported L70 (Hours)

1.0mm Aluminium Housing, with Prismatic Diffuser Powdercoat 2241mm(L) x 65mm(W) x 88mm(D) 2000mm (Max) IP44 5 Year Replacement

Osram 900mA Integrated LED Driver, Non-Dim DALI / 0-10V Dim / CRI90 27W/m 240V

Samsung 2835 SMD

80Ra 85° SDCM ≤ 3 > 54,000 Hrs

VARIATIONS

LC8723W	ASTON MK-II 60W Suspended, White, 85°, Non-Dim, 3000K
LC8723WD	ASTON MK-II 60W Suspended, White, 85°, DALI, 3000K
LC8723B	ASTON MK-II 60W Suspended, Black, 85°, Non-Dim, 3000K
LC8723BD	ASTON MK-II 60W Suspended, Black, 85°, DALI, 3000K
LC8724W	ASTON MK-II 60W Suspended, White, 85°, Non-Dim, 4000K
LC8724WD	ASTON MK-II 60W Suspended, White, 85°, DALI, 4000K
LC8724WZ	ASTON MK-II 60W Suspended, White, 85°, 0-10V Dim, 4000K
LC8724B	ASTON MK-II 60W Suspended, Black, 85°, Non-Dim, 4000K
LC8724BD	ASTON MK-II 60W Suspended, Black, 85°, DALI, 4000K
LC8724S	ASTON MK-II 60W Suspended, Silver, 85°, Non-Dim, 4000K
LC8724SD	ASTON MK-II 60W Suspended, Silver, 85°, DALI, 4000K
LC8723BZ	ASTON MK-II 60W Suspended, Black, 85°, 0-10V Dim, 3000K





