

ASTON MK-II 60W

Suspended Profile

The ASTON MK-II 60W Linear Pendant Series are a sleek, modern style perfect for commercial architecture. Architectural linear suspensions bring clean lines to commercial interiors. Our sleek, stylish LED linear suspensions offer highly effective and efficient lighting solutions for schools, libraries, office spaces, and retail outlets. This style is also available in suspended direct/indirect, surface mounted and recessed.







SPECIFICATIONS

Material Specifications

Material 1.0mm Aluminium Housing, with Prismatic

Diffuser

Finish Powdercoat

Dimensions 2241mm(L) x 65mm(W) x 88mm(D)

Suspension Length 2000mm (Max)

Ingress Protection IP44

Warranty 5 Year Replacement

Electrical Specifications

Power Supply Osram 900mA Integrated LED Driver, Non-Dim

Options DALI / 0-10V Dim / CRI90

LED Wattage 27W/m **Input Voltage** 240V

Optic Specifications

Light Source Samsung 2835 SMD

 CRI
 80Ra

 Beam Angle
 85°

 Colour Deviation
 SDCM ≤ 3

 Reported L70 (Hours)
 > 54,000 Hrs

VARIATIONS

LC8723W ASTON MK-II 60W Suspended, White, 85°, Non-Dim, 3000K LC8723WD ASTON MK-II 60W Suspended, White, 85°, DALI, 3000K LC8723B ASTON MK-II 60W Suspended, Black, 85°, Non-Dim, 3000K LC8723BD ASTON MK-II 60W Suspended, Black, 85°, DALI, 3000K ASTON MK-II 60W Suspended, White, 85°, Non-Dim, 4000K LC8724W ASTON MK-II 60W Suspended, White, 85°, DALI, 4000K **LC8724WD** LC8724B ASTON MK-II 60W Suspended, Black, 85°, Non-Dim, 4000K ASTON MK-II 60W Suspended, Black, 85°, DALI, 4000K LC8724BD ASTON MK-II 60W Suspended, Silver, 85°, Non-Dim, 4000K LC8724S ASTON MK-II 60W Suspended, Black, 85°, 0-10V Dim, 3000K LC8723BZ



