

ASTON MK-II 60W

Suspended Profile 2241mm

Classic Series

Proven. Quality. Customisable

The ASTON MK-II 60W Linear Pendant Series are a sleek, modern style perfect for commercial architecture. Architectural linear suspensions bring clean lines to commercial interiors. Our sleek, stylish LED linear suspensions offer highly effective and efficient lighting solutions for schools, libraries, office spaces, and retail outlets. This style is also available in suspended direct/indirect, surface mounted and recessed.



IP44



SPECIFICATIONS

Material Specifications

Material	1.0mm Aluminium Housing, with Prismatic Diffuser
Finish	Powdercoat
Dimensions	2241mm(L) x 65mm(W) x 88mm(D)
Suspension Length	2000mm (Max)
Ingress Protection	IP44
Warranty	5 Year Replacement

Electrical Specifications

Power Supply	Osram 900mA Integrated LED Driver, Non-Dim
Options	DALI / 0-10V Dim / CRI90
LED Wattage	27W/m
Input Voltage	240V

Optic Specifications

Light Source	Samsung 2835 SMD
CRI	80Ra
Beam Angle	85°
Colour Deviation	SDCM ≤ 3
Reported L70 (Hours)	> 54,000 Hrs

VARIATIONS

LC8723W	ASTON MK-II 60W Suspended, White, 85°, Non-Dim, 3000K
LC8723WD	ASTON MK-II 60W Suspended, White, 85°, DALI, 3000K
LC8723B	ASTON MK-II 60W Suspended, Black, 85°, Non-Dim, 3000K
LC8723BD	ASTON MK-II 60W Suspended, Black, 85°, DALI, 3000K
LC8724W	ASTON MK-II 60W Suspended, White, 85°, Non-Dim, 4000K
LC8724WD	ASTON MK-II 60W Suspended, White, 85°, DALI, 4000K
LC8724WZ	ASTON MK-II 60W Suspended, White, 85°, 0-10V Dim, 4000K
LC8724B	ASTON MK-II 60W Suspended, Black, 85°, Non-Dim, 4000K
LC8724BD	ASTON MK-II 60W Suspended, Black, 85°, DALI, 4000K
LC8724S	ASTON MK-II 60W Suspended, Silver, 85°, Non-Dim, 4000K
LC8724SD	ASTON MK-II 60W Suspended, Silver, 85°, DALI, 4000K
LC8723BZ	ASTON MK-II 60W Suspended, Black, 85°, 0-10V Dim, 3000K

