

VERNE 14W

Exterior Bollard Light

Lifestyle Series

Style. Attitude. Luxury

The Verne LED Bollard is a sleek and durable lighting solution designed for pathways, landscapes, and outdoor public spaces. With its modern form and robust die-cast aluminium construction, it's built to withstand harsh Australian conditions while delivering consistent, energy-efficient illumination.

Fitted with a high-performance LED light source and UV-stabilised diffuser, the Verne provides soft, glare-free lighting with excellent spread and visual comfort. Backed by a 5-year warranty and engineered for long-lasting performance, the Verne is ideal for projects where style, durability, and reliability matter.



IP66



SPECIFICATIONS

Material Specifications

Material	Aluminium Alloy & Polycarbonate Optical Lens
Finish	Textured Black Powder Coat
Ingress Protection	IP66
Impact Rating	IK10
Dimensions	165mm (Dia) x 900mm (H)
Mounting	Rag Bolts and Base Plate
Warranty	5 Year Replacement

Electrical Specifications


Power Supply	Integrated Driver, Non-Dimmable
Options	DALI Available
Input Voltage	240V
System Watts	14W
Connection Method	Hard Wired
Operating Temperature (Ta)	-30°C ~ +50°C

Optic Specifications

Light Source	LED 3030
Correlated Colour Temperature	3000K or 4000K
Delivered Lumens	Up to 1,295lm
CRI	Ra >80
Calculated L70 (Hours)	>124,000 Hrs
Calculated L80 (Hours)	>78,000 Hrs
Calculated L90 (Hours)	>37,000 Hrs

VARIATIONS

LC1352	VERNE 14W Bollard, 900mm, Black, Single-Side Emission, Non-Dim, 3000K
LC1353	VERNE 14W Bollard, 900mm, Black, Single-Side Emission, Non-Dim, 4000K
LC1354	VERNE 14W Bollard, 900mm, Black, Double-Side Emission, Non-Dim, 3000K
LC1355	VERNE 14W Bollard, 900mm, Black, Double-Side Emission, Non-Dim, 4000K



Lifestyle Series

Style. Attitude. Luxury