



TECHLUME

A U S T R A L I A

Product Overview

Product Name / Code:


LENNOX 32W Floodlight - LC2502

Description:

4000K, 90x40°, IP66, Black, Non-Dim

Manufacturer:

Decrolux Lighting Pty Ltd



Laboratory and Equipment

System Name:

LabSpion Goniometer

Sensor Name / Model:

LabSensor Model2 / Freedom VIS (Custom Viso)

Calibration Date:

7/12/2022

Manufacturer:

Viso Systems, Denmark

Measurement Details

Test Date and Time:

19/06/2023 11:37:41 AM

Measurement Method:

Far Field, Type C Horizontal

Measurement Distance:

446.4 cm

Ambient Temperature:

25 °C ± 1 °C



Photometric Measurements

Total Luminous Flux	Luminous Efficacy	Luminous Intensity
4752 lm	151 Lumen/watt	4162 cd


Correlated Colour Temperature, Target	Correlated Colour Temperature, Measured	Colour Rendering Index (CRI)
4000 K	3950 K	Ra 72.5

Electrical Measurements

Input Voltage	Input Current	Input Power	Input Voltage Frequency
240 VAC	0.138 A	31.5 W	60 Hz

Power Factor	Stabilisation Time	Stabilisation Variation	Hours Operated Prior to Test
0.95	Lamp stabilized in 57 min 20 sec	-1.9%	0 hours

Polar Diagram



Beam Angle **60.7°**

Colour Rendering Index Per Reference Colour

